Citilite

LIGHTING PRODUCT CATALOG

Product Range & Technical Specifications



2026

Introduction

Citilite Troffers

Developed through years of refinement, our troffers are engineered to maximize light output while balancing quality, performance, and long-term durability. Every design reflects our commitment to creating reliable lighting solutions built to last, with carefully considered construction and performance-enhancing features that support a longer service life. By continuously refining the balance between price, quality, and efficiency, we deliver troffers designed to provide lasting value throughout their lifetime.


Recessed / Surface Troffers



TROFFERS

RM Pro 236

Reflector Mirror Troffer



Engineered to maximize light output and improve light distribution, the mirror-finish reflector enhances lighting efficiency while minimizing wasted light. Its heat-dissipating design helps manage operating temperatures, reducing thermal stress on components and extending the product's service life. Built for long-term performance, the fixture supports energy efficiency, durability, and more sustainable lighting solutions.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	330
Width 1	300
Length	1250
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

RM Pro

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Standard	330	300	640	610
3 x TLD 18 W	Standard	480	450	640	610
4 x TLD 18 W	Standard	630	600	640	610
2 x TLD 36 W	Standard	330	300	1250	1220
3 x TLD 36 W	Standard	480	450	1250	1220
4 x TLD 36 W	Standard	630	600	1250	1220

For custom sizes, please contact our team.

RM Pro Acoustic

Compare available types, sizes and technical data

All measurements are in mm.


Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Acoustic	295	270	595	
3 x TLD 18 W	Acoustic	595	570	595	
4 x TLD 18 W	Acoustic	595	570	595	
2 x TLD 36 W	Acoustic	295	270	1195	
3 x TLD 36 W	Acoustic	595	570	1195	
4 x TLD 36 W	Acoustic	595	570	1195	

For custom sizes, please contact our team.

TROFFERS

RMO Pro 236

Reflector Mirror Troffer



Designed for professional environments that require comfortable, well-directed lighting, this fixture combines a mirror reflector and grid to control light distribution and help reduce unwanted glare. The result is a more comfortable visual environment that supports focus and productivity. Ideal for offices, meeting rooms, and other professional spaces where functional lighting and a clean, refined appearance matter.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	-
Width 1	300
Length	-
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog


RMO Pro

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Standard		300		610
3 x TLD 18 W	Standard		450		610
4 x TLD 18 W	Standard		600		610
2 x TLD 36 W	Standard		300		1220
3 x TLD 36 W	Standard		450		1220
4 x TLD 36 W	Standard		600		1220

For custom sizes, please contact our team.



TROFFERS

RM EXO 236

Reflector Mirror Troffer

Designed as a cost-effective alternative, featuring a shorter mirror reflector to deliver practical light output at a more economical price point. Its streamlined construction balances lighting performance and affordability, making it a reliable solution for projects that require dependable illumination while maintaining budget efficiency.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	330
Width 1	300
Length	1250
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

RM EXO

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Standard	330	300	640	610
3 x TLD 18 W	Standard	480	450	640	610
4 x TLD 18 W	Standard	630	600	640	610
2 x TLD 36 W	Standard	330	300	1250	1220
3 x TLD 36 W	Standard	480	450	1250	1220
4 x TLD 36 W	Standard	630	600	1250	1220

For custom sizes, please contact our team.



TROFFERS

IB Acrylic 236

Acrylic Troffers

Designed for recessed ceiling installation, the acrylic troffer features a diffusing cover that distributes light evenly while concealing the light source for a clean, uniform appearance. Its enclosed design helps limit direct exposure of the light source to dust and airborne particles, making it a practical choice for offices, schools, hospitals, and other commercial environments.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	280
Width 1	250
Length	1250
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

IB Acrylic Standard

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Standard	280	250	640	610
3 x TLD 18 W	Standard	380	350	640	610
4 x TLD 18 W	Standard	480	450	640	610
2 x TLD 36 W	Standard	280	250	1250	1220
3 x TLD 36 W	Standard	380	350	1250	1220
4 x TLD 36 W	Standard	480	450	1250	1220

For custom sizes, please contact our team.

IB Acrylic Acoustic

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Acoustic	295	270	595	
3 x TLD 18 W	Acoustic	595	570	595	
4 x TLD 18 W	Acoustic	595	570	595	
2 x TLD 36 W	Acoustic	295	270	1195	
3 x TLD 36 W	Acoustic	595	570	1195	
4 x TLD 36 W	Acoustic	595	570	1195	

For custom sizes, please contact our team.



TROFFERS

OB Acrylic 236

Acrylic Troffers

OB Acrylic is designed for spaces where consistent lighting and cleanliness are essential. Its acrylic cover helps shield the light source from dust and dirt while diffusing light evenly throughout the area. Combined with a durable housing and flexible installation options, it provides a practical lighting solution for food processing facilities, healthcare environments, and other spaces that require dependable illumination with added protection against everyday contaminants.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	-
Width 1	250
Length	-
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

OB Acrylic Standard

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Standard		250		610
3 x TLD 18 W	Standard		350		610
4 x TLD 18 W	Standard		450		610
2 x TLD 36 W	Standard		250		1220
3 x TLD 36 W	Standard		350		1220
4 x TLD 36 W	Standard		450		1220

For custom sizes, please contact our team.

TROFFERS

TKO 236

Outbow Troffers



TKO offers a practical lighting solution for commercial and industrial spaces that require broad, functional illumination without unnecessary installation complexity. Its wing-shaped reflectors help direct light downward, while the lightweight design and tool-free installation simplify setup. Ideal for parking areas, factories, and other spaces that require efficient, wide-area lighting.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	200
Width 1	90
Length	-
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

TKO

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
1 x TLD 18 W	Standard	200	90		610
2 x TLD 18 W	Standard	200	90		610
3/4 x TLD 18 W	Custom				
1 x TLD 36 W	Standard	200	90		1220
2 x TLD 36 W	Standard	200	90		1220
3/4 x TLD 36 W	Custom				

For custom sizes, please contact our team.



TROFFERS

TKI 236

Inbow Troffers

Designed for recessed installation, TKI is compatible with standard and acoustic ceilings. It delivers effective, uniform lighting for offices, retail stores, terminals and spaces that require efficient, wide-area lighting, offering a practical balance of performance, durability, and affordability.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	260
Width 1	230
Length	1250
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

TKI Standard

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
1/2 x TLD 18 W	Standard	260	230	640	610
3 x TLD 18 W	Standard	380	350	640	610
4 x TLD 18 W	Standard	480	450	640	610
1/2 x TLD 36 W	Standard	260	230	1250	1220
3 x TLD 36 W	Standard	380	350	1250	1220
4 x TLD 36 W	Standard	480	450	1250	1220

For custom sizes, please contact our team.


TKI Acoustic

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
2 x TLD 18 W	Acoustic	295	270	595	
3 x TLD 18 W	Acoustic	595	570	595	
4 x TLD 18 W	Acoustic	595	570	595	
2 x TLD 36 W	Acoustic	295	270	1195	
3 x TLD 36 W	Acoustic	595	570	1195	
4 x TLD 36 W	Acoustic	595	570	1195	

For custom sizes, please contact our team.



TROFFERS

KV 236

Outbow Troffers

KV is designed to illuminate large areas with a wider spread of light, thanks to its distinctive triangular prism reflector. Its lightweight construction and simple, tool-free installation make it an efficient choice for projects that value practical performance and cost control. Suitable for surface mounting or suspension, KV provides broad, even illumination for parking areas, factories, commercial facilities, and other spaces that require wide-area lighting.

KEY SPECIFICATIONS

Dimensions (mm)	
Width	-
Width 1	140
Length	-
Length 1	1220

DIMENSION REFERENCE

See other products: Citilite Catalog

KV

Compare available types, sizes and technical data

All measurements are in mm.

Variant / Type	Size	Width	Width 1	Length	Length 1
1 x TLD 18 W	Standard		140		610
2 x TLD 18 W	Standard		140		610
3 x TLD 18 W	Custom				
1 x TLD 36 W	Standard		140		1220
2 x TLD 36 W	Standard		140		1220
3 x TLD 36 W	Custom				

For custom sizes, please contact our team.

Let’s specify the right light.

Contact Citilite for product details, technical specifications, and project enquiries.

cbplighting.com

Email: info@cbplighting.com

Phone: +62 851-1050-5070

Indonesia · Project supply nationwide